ISO 9001

S-206

Çorap Örgü Makinesi



HYUNG JEA

MAIN FEATURE / Ana Özellikler

S-206 Sock Knitter is a Fully Electronic, Drumless Single Cylinder Socks Knitting Machine with 2-Feeders and which Enables to Knit the Various Pattern Socks with Reciprocated Heel and Toe and plain, Jaquard Socks and/or Terry and Motif.

- The Patterns are Programmed by Pattern Analyzer and Transferred to The Machine with USB Port.
- The Machine has Memory Function of Approx. 10 Patterns.
- Individual Needle Selection by Ceramic Actuators and Cylinder Drive by A/C Servo Motor are Controlled by The Fully Electronic Control System of WAC Data System.
- Knitting Speed is Adjustable During Operation on The Touch Screen.
- Uninterrupted Power Supply as Standard.(UPS)
- First Feed has 4 yarn Positive Feeding Devices connected to 6 Selection Groups. Second Feed, which can be Engaged or Disengaged, has One yarn Positive Feeding Device and The Related Selection Group. There are Total 6 Selection Groups, Each One with 8 Selectors, Suitable for Selecting Needle in any Parts of The Socks.
- 11 Pattern Color with 3 or 4 Colors Plus 2 Body Color on Same Course in 2 Feeding System.
- Automatic Stitch & Size Control by Controller.

S-206 çorap makinesi, full elektronik, kasnaksız tek silindirli, iki beslemeli bir makinedir. Çeşitli desende, karşılıklı topuk ve burun yapabilir, düz ve jakarlı çorap yapabilir, havlu ve havlu motifli çorap yapabilir.

- Desenler bir desen programı vasıtasıyla çizilir ve USB port ile makineye yüklenir.
- Makinenin 10 desenlik bir hafızası vardır.
- Müstakil iğne seçicili, seramic hareket vericilerden ve A/C servo motorla tahrik edilen silindirden oluşmuştur. Bu sistem ful elektronik WAC data kontrol sitemi ile kontrol edilir.
- Örgü hızı, dokunmatik ekran ile, çalışma sırasında dahi değiştirilebilir.
- Standart olarak kesintisiz güç kaynağı (UPS) vardır.
- İlk besleme, 6 renk selektör grubuna bağlı, 5 adet positif iplik besleyicisine (renge) sahiptir. İkinci beslemede (istendiğinde devre dışı bırakılabilir) ilgili selektör grubu ile bir adet positif iplik besleyicisine (renk) sahiptir. Toplam olarak 6 adet renk selektör grubu vardır. Herbirinde 8 adet selektör bulunur. Bu selektörler (seçiciler) çorabın herhangi bir kısmında istenen herhangi bir iğneyi seçebilirler.
- 3 veya 4 renkli 11 adet desen rengi (desen hareketi) yapılabilir ve ayrıca iki besleme sisteminde aynı yönde iki beden (gonç) rengi vardır.
- Bilgisayar vasıtasıyla, otomatik örgü kontrolu ve çorap ölçü kontrolu yapma imkanı.vardır.

SPECIFICATION / Özellikler

1. Cylinder Diameter / Silindir çapı	: 3 1/2″, 3 3/4″, 4″	: 3 1/2″, 3 3/4″, 4″
2. Needle Count / İğne sayısı	: From 72N. Through 240N.	: 72N den 240N ye kadar
3. Actuator / Hereket verici (actuator)	: 6 Piezo Electric Ceramic Actuators (8-STEPS)	: 8 kademeli, 6 piezo electrik seramik tahrik ediciler
4. Speed / Hız	: MAX. 400 RPM.	: MAX. 400 RPM.
5. Power Required / Gerekli güç	: 2.5KW	: 2.5KW
6. Standard Electric Supply / Standart elektrik	: 220V-440V. 3Phase. 50/60HZ	: 220V – 440V trifaze, 50/60Hz.
7. Erected dimension / Montaj sonrası ebatlar	: 40″W×43″L×71″H, 1,000MM×1,100MM×1,800MM	: 40″W×43″L×71″H, 1,000MM×1,100MM×1,800MM
8. Packing Dimension / Ambalaj ebatları	: 40″W×50″L×95″H, 1,000MM×1,250MM×2,400MM	: 40″W×50″L×95″H, 1,000MM×1,250MM×2,400MM
9. Net Weight / Net ağırlık	: 840Lbs.(380Kg)	: 840Lbs.(380Kg)
10. Gross weight / Brüt ağırlık	: 1,100Lbs.(500Kg)	: 1,100Lbs.(500Kg)

SPECIAL FEATURES / Diğer özellikler

1. Double Welt or Single Welt Available.
2. Electronic Size Control.
3. Automatic Lubrication.
4. Automatic Separation.
5. Automatic Product Counter.
6. Damage Socks Detector.

1. Çift veya tek besleme imkanı
2. Elektronik beden (ölçü) kontrolu
3. Otomatik yağlama
4. otomatik ayırma / çorap bitim ayırımı
5. Otomatik ürün sayacı
6. Hatalı çorap detektörü



PATTERN ANALYZER(MODEL:WMDP) / Desen programı (Model WMDP)

The Pattern Analyzer is the Computer Aided Pattern Programming System which Enable and Versatile Design of the Pattern.
USB Port Used for Transferring the Programmed Pattern to the Machine.

1. Personal Computer(IBM Compatible).
2. Hige Resolution Color Graphic Monitor.
3. Keyboard.
4. Color Printer, Digitizer(Electronic Pen) and Image Scanner as Option

Desen programı, bilgisayar destekli desen çizmeyi sağlayan ve desen örgüsünü çeşitlendiren bir sistemdir.
Desenin makineye aktarılması için USB port kullanılır.

1. Bilgisayar (IBM uyumlu)
2. Yüksek çözünürlü renkli grafik monitör
3. klavye
4. renkli yazıcı, elektronik kalem ve opsion olarak resim tarayıcı

THE MOST POWERFUL CAPACITY -7F SYSTEM (OPTION) / En güçlü kapasite – 7F sistemi (opsiyon)

1. 7 Piezo Electronic Ceramic Selection (8step)
2. 13 Pattern Colors and 5 Body Colors
3. With Separated Down-Picker(Left-Right), can Knit Various Socks.

1. 7 Piezo Elektronik seramik seçici (8 kademeli)
2. 13 desen rengi ve 5 gövde (gonç) rengi
3. Ayrılmış Down-Pickert (sol-sağ) ile değişik çoraplar üretme imkani

HYUNG JEA MACHINERY CO.
371-37, Kasan-dong, Kumchon-gu,
Seoul, Korea
3th, Seoul Digital industrial complex
TEL : 82-2-867-4673~4, 82-2-867-4677~8
FAX : 82-2-867-4675
http://www.ec21.com/hyungjea

兄 弟 機 械 工 業 社
서울 特別市 衿川區 加山洞 371-37
서울 디지털 산업 3단지 (구 · 구로3공단)
TEL : 82-2-867-4673~4, 82-2-867-4677~8
FAX : 82-2-867-4675
http://www.ec21.com/hyungjea